

This listing of claims will replace all prior versions, and listing, of claims in the application:

LISTING OF CLAIMS:

Claim 1 (Canceled)

Claim 2 (Currently Amended) The system as claimed in Claim [[1]] 12, wherein said request includes a user identification code for uniquely identifying the user's wearable appliance and ensuring proper data transmission thereto.

Claim 3 (Original) The system as claimed in Claim 2, wherein said server device includes mechanism for generating a personalized menu comprising user selections of types of data to be transmitted based on said user identification code.

Claim 4 (Previously Presented) The system as claimed in Claim 3, wherein said first communications sub-system comprises a telephone system including a telephone keypad, said user identification code comprising a sequence of one or more dual-tone multi-frequency DTMF signals entered by said user via said telephone keypad.

Claim 5 (Original) The system as claimed in Claim 4, wherein said server control device includes mechanism responsive to said user identification code for retrieving said personalized menu of types of data to be transmitted and generates a voice transmission for presenting said personalized menu selections to said user via said telephone system.

Claim 6 (Original) The system as claimed in Claim 5, wherein said user selects a type of data to be transmitted via said telephone keypad, said server control device includes mechanism for receiving DTMF signals and interpreting said DTMF signals for association with said user menu selection.

Claim 7 (Original) The system as claimed in Claim 3, wherein said first communications sub-system comprises a personal computing device implementing a Web browser for accessing and communicating with said server control device via Web-based communications, wherein said user identification code comprises entry of a password entry via a keyboard device entered in a Web page.

Claim 8 (Original) The system as claimed in Claim 7, wherein said server control device includes mechanism responsive to said user identification code for retrieving said personalized menu of types of data to be transmitted and generates a Web-based communication for receipt by said user Web browser to present said personalized menu.

Claim 9 (Original) The system as claimed in Claim 8, wherein said user selects a type of data to be transmitted via a mouse device by clicking a menu choice presented on a Web page.

Claim 10 (Currently Amended) The system as claimed in Claim ~~[[1]]~~ 12, wherein said second communications sub-system comprises a paging network.

Claim 11 (Currently Amended) The system as claimed in Claim ~~[[1]]~~ 12, wherein said second communications sub-system comprises a Bluetooth wireless communications network.

Claim 12 (Currently Amended) ~~[[The]]~~ A system for communicating data to a wearable appliance including a wireless data receiver device for receiving wireless data communications, said system comprising: as-claimed-in Claim-1,

a first communications sub-system enabling a user to initiate an asynchronous request for data to be communicated to said wearable appliance at a user-specified future time and location;

a second communications sub-system including a wireless data transmission channel for communicating data to said wearable appliance; and,

a server control device for receiving said data requests via said first communications sub-system and, in response to said request, retrieving said requested data for said user and assembling said retrieved data in a form suitable for communication via said second communications sub-system, whereby a user asynchronously demands said data transfer from said first communications sub-system and receives a data transmission via said second communications sub-system,

wherein said second communications sub-system communicates said requested data to said wearable appliance at a requested future time and location, said wearable appliance adapted to be placed in a sleep mode of operation, and further including an alarm mechanism for placing said wireless data receiver device in a receive mode of operation from a sleep mode of operation for receiving said wireless data communications at said requested time in synchronism with user availability at said user-specified future time and location without requiring further user participation during said transmission.

Claim 13 (Canceled)

Claim 14 (Currently Amended) The method as claimed in Claim [[13]] 22, wherein said data request includes a user identification code for uniquely identifying the user's wearable appliance.

Claim 15 (Original) The method as claimed in Claim 14, wherein prior to said retrieving step b), the step of presenting a personalized menu to said user, said menu comprising user selections associated with types of data to be transmitted based on said user identification code.

Claim 16 (Original) The method as claimed in Claim 15, wherein said first communications sub-system comprises a telephone system including a telephone keypad, said user identification code comprising a sequence of one or more dual-tone multi-frequency DTMF signals entered by said user via said telephone keypad.

Claim 17 (Original) The method as claimed in Claim 16, wherein said presenting step further includes the steps of:

retrieving said personalized menu of types of data to be transmitted from a storage device; and,

generating a voice transmission for presenting said personalized menu selections to said user via said telephone system in response to said user identification code.

Claim 18 (Original) The method as claimed in Claim 17, wherein said retrieving step b) further includes the steps of receiving DTMF signals associated with said user menu selection and interpreting said received DTMF signals for retrieving said requested data.

Claim 19 (Original) The method as claimed in Claim 15, wherein said first communications sub-system comprises a personal computing device implementing a Web browser for accessing and communicating with said server control device via Web-based communications, said user identification code comprising a password entry via a keyboard device entered in a Web page.

Claim 20 (Original) The method as claimed in Claim 19, wherein said presenting step further includes the steps of:

retrieving said personalized menu of types of data to be transmitted; and,
generating a Web-based communication for receipt by said user Web browser to present said personalized menu.

Claim 21 (Original) The method as claimed in Claim 20, wherein said retrieving step b) is responsive to a user mouse click on a Web page menu selection of a type of data to be transmitted.

Claim 22 (Currently Amended) [[The]] A method for communicating data to a wearable appliance implementing a wireless data receiver device for receiving wireless data communications, as claimed in Claim 13,

a) receiving an asynchronous data request via a first communications sub-system, said request indicating a user-specified future time and location for said requested data;

b) retrieving said requested data for said user in response to said request;

c) assembling said retrieved data in a form suitable for communication via a second communications sub-system over a wireless data transmission channel; and,

d) communicating said requested data to said wearable appliance over said wireless data transmission channel via a second communications sub-system, said user asynchronously requests said data transfer from said first communications sub-system and receives a data transmission via said second communications sub-system,

wherein a data request includes request for receipt of said data at a requested future time and location, said method further comprising the step of: placing said wireless data receiver device in a sleep mode of operation; and, further implementing an alarm mechanism for placing said wireless data receiver device from said sleep mode to a receive mode for receiving said wireless data communications at said requested time in synchronism with user availability at said user-specified future time and location without requiring further user participation during said transmission.

Claim 23 (Canceled)

Claim 24 (Currently Amended) The program storage device readable by a machine as claimed in Claim ~~[[23]]~~ 32, wherein said data request includes a user identification code for uniquely identifying the user's wearable appliance.

Claim 25 (Previously Presented) The program storage device readable by a machine as claimed in Claim 24, wherein prior to said retrieving step b), the step of presenting a personalized menu to said user, said menu comprising user selections associated with types of data to be transmitted based on said user identification code.

Claim 26 (Original) The program storage device readable by a machine as claimed in Claim 24, wherein said first communications sub-system comprises a telephone system including a telephone keypad, said user identification code comprising a sequence of one or more dual-tone multi-frequency DTMF signals entered by said user via said telephone keypad.

Claim 27 (Previously Presented) The program storage device readable by a machine as claimed in Claim 25, wherein said presenting step further includes the steps of:

retrieving said personalized menu of types of data to be transmitted from a storage device; and,

generating a voice transmission for presenting said personalized menu selections to said user via said telephone system in response to said user identification code.

Claim 28 (Original) The program storage device readable by a machine as claimed in Claim 25, wherein said retrieving step b) further includes the steps of receiving DTMF signals associated with said user menu selection and interpreting said received DTMF signals for retrieving said requested data.

Claim 29 (Previously Presented) The program storage device readable by a machine as claimed in Claim 25, wherein said first communications sub-system comprises a personal

computing device implementing a Web browser for accessing and communicating with said server control device via Web-based communications, said user identification code comprising a password entry via a keyboard device entered in a Web page.

Claim 30 (Original) The program storage device readable by a machine as claimed in Claim 29, wherein said presenting step further includes the steps of:

retrieving said personalized menu of types of data to be transmitted; and,
generating a Web-based communication for receipt by said user Web browser to present said personalized menu.

Claim 31 (Original) The program storage device readable by a machine as claimed in Claim 30, wherein said retrieving step b) is responsive to a user mouse click on a Web page menu selection of a type of data to be transmitted.

Claim 32 (Currently Amended) ~~[[The]]~~ A program storage device readable by a machine, tangibly embodying a program of instructions executable by the machine to perform method steps for communicating data to a wearable appliance implementing a wireless data receiver device for receiving wireless data communications, said method steps including the steps of: as claimed in Claim 23;

a) receiving an asynchronous data request via a first communications sub-system, said request indicating a user-specified future time and location for said requested data;
b) retrieving said requested data for said user in response to said request;
c) assembling said retrieved data in a form suitable for communication via a second communications sub-system over a wireless data transmission channel; and,

d) communicating said requested data to said wearable appliance over said wireless data transmission channel via said second communications sub-system, wherein said user asynchronously requests said data transfer from said first communications sub-system and receives a data transmission via said second communications sub-system,

wherein a data request includes request for receipt of said data at a requested future time and location, said method further comprising the step of: placing said wireless data receiver device in a sleep mode of operation; and, further implementing an alarm mechanism for placing said wireless data receiver device from said sleep mode to a receive mode for receiving said wireless data communications at said requested time in synchronism with user availability at said user-specified future time and location without requiring further user participation during said transmission.

Claim 33 (New) The system as claimed in Claim 12, further comprising:

means for providing pre-determined personalized selectable menu option choices to a user for user selection at a time of making a data request, said pre-determined personalized selectable menu option choices relating to requests for receipt of data associated with two or more user applications each adapted for execution on said user hand-held device, and which data is received and maintained for users as part of said associated user applications, wherein said menu options enable a user to set specific data delivery options in advance or at data request time, to specify what data needs to be sent and the user-specified time.

Claim 34 (New) The method as claimed in Claim 22, further comprising:

providing pre-determined personalized selectable menu option choices to a user for user selection at a time of making a data request, said pre-determined personalized selectable

menu option choices relating to requests for receipt of data associated with two or more user applications each adapted for execution on said user hand-held device, and which data is received and maintained for users as part of said associated user applications,

wherein a user is enabled to set specific data delivery options in advance or at data request time to specify, via said menu options, what data needs to be sent and the user-specified time.